

MATERIAL SAFETY DATA SHEET

IDENTITY & MANUFACTURER'S INFORMATION

Identity (trade name as used on label): **FANTOM** (flying & Crawling insects killer)

Manufacturers name : JIPCO

Address: P.O.Box 151, Amman - 11118 - Jordan.

Date prepared: July 9, 2000

prepared By: HF/FF

MSDS Number : 01/00

Revision-0

Information Calls: +962 (6) 4611-306

NOTICE: Judgment based on indirect test data

SECTION 1 - MATERIAL IDENTIFICATION & INFORMATION

COMPONENTS - COMMON NAMES AND PERCENTAGES W/W

TETRAMETHRIN	:	0.25 %
PIPERONYL BUTOXIDE	:	1.25 %
PERMETHRIN	:	0.25 %
FRAGRANCE OIL	:	0.30 %
Petroleum Distillates & Liquefied Petroleum Gases	:	97.95 %

SECTION 2 PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point: N/A

VAPOR PRESSURE: PSIG @ 70F(Aerosols) 50-65

Vapor Density (Air =1): N/E

Solubility in Water : None

Appearance and Odor : Stream spray with acetone petroleum distillate odor.

Specific Gravity(H20=1): Concentrate only= 0.800

Vapor Pressure (Non- Aerosols) (mm Hg and temperature) :N/A

Evaporation Rate (=1)N/E

Water Reactive: No

SECTION 3- FIRE AND EXPLOSION HAZARD DATA

FLAMMABILITY as per USA FLAME Projection test (Aerosols) : EXTREMELY FLAMMABLE

Flammability Limits in Air by % in Volume: % LEL: N/E , % UEL: N/E

Auto Ignition Temperature: N/E

EXTINGUISHER MEDIA: Foam, dry chemicals, CO2

FLASH POINT AND METHOD USED (non - aerosols): N/A

SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus.

Unusual Fire & Explosion Hazards: Do not expose aerosols to temperatures above 50 degree centigrade.

SECTION 4- REACTIVITY HAZARD DATA

STABILITY (x) stable () unstable **HAZARDOUS POL YMERIZATION** () will (x) will not occur
Incompatibility (materials to avoid): plastics, Asphalt, vinyl tiles, oxidizers & alkalis.
Conditions to Avoid: open flame, welding arcs, heat, sparks.
Hazardous Decomposition products: N/A

SECTION 5- HAZARD DATA

PRIMARY ROUTES OF ENTRY: (x) inhalation () ingestion () skin absorption () eye () not hazardous
ACUTE EFFECTS
Inhalation: excessive in halation of vapors can be harmful and may cause headache, dizziness, anesthetic effects, nausea, respiratory depression cholinesterase depression.
EYE Contact: irritation, burning, contact dermatitis, and temporary corneal injury.
Skin Contact: imitation, mild defatting of skin.
Ingestion: possible chemical pneumonitis if aspirated into lungs, nausea, vomiting.
CHRONIC EFFECTS: (effects due to excessive exposure to the raw materials of this mixture) may cause cardiac abnormalities , central nervous system depression , kidney , liver damage, inhibits cholinesterase .
Medical Conditions Generally Aggravated by Exposure: may aggravate existing eye, skin, or upper respiratory conditions.

EMERGENCY FIRST AID PROCEDURES

Eye Contact: flush with water for 15 minutes. If irritated, seek medical attention.
Skin Contact: Wash with soap and water. If irritated seek medical attention
Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention
Ingestion: **DO NOT INDUCE VOMITING**, drink two large glasses of water. Get immediate medical attention.

SECTION 6- CONTROL AND PROTECTIVE MEASURES

Respiration Protection (Specify Type): If vapor concentration exceeds TLV, use respirator approved for organic vapors
Protective Gloves: Rubber , if skin is easily irritated.
Eye Protection : Safety glasses recommended.
Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV.
Other protective clothing & equipment: None.
Hygienic Work Practices : Wash with soap and water before handling food. Remove contaminated clothing.

SECTION 7- PRECAUTIONS FOR SAFE HANDLING AND USE

Material spill or release: Absorb with suitable medium. Incinerate or landfill according to local regulations. Do not flush to sewer.
Waste disposal Methods: Aerosol cans when vented to atmospheric pressure, pose no disposal hazard.
Handling & Storage: Do not puncture or incinerate containers. Do not store in temperatures above 50 deg. Centigrade.
Special Hazards: **KEEP OUT OF REACH OF CHILDREN**. Avoid food contamination. Avoid breathing vapors. Remove ignition sources.
